

## Angular Type Air Gripper MHC2/MHCA2/MHCM2 Series

ø**6**, ø**7** 



#### Angular type air gripper

MHC2/MHCA2/MHCM2 Series



Note) Not including auto switch weight.





### MHC2/MHCA2/MHCM2 Series Specific Product Precautions

Be sure to read this before handling the products.

#### Mounting


### **Warning**

1. Tighten the screw within the specified torque range when mounting the air gripper.

Tightening with a torque above the limit can cause malfunction, while insufficient tightening can cause slippage and dropping.

#### How to Mount Air Grippers


#### Axial Mounting (Body tapped)



Model	Bolt	Max. tightening torque N⋅m	Max. screw-in depth L mm				
MHCA2-6	IHCA2-6 M2 x 0.4		6				
MHCM2-7S M2 x 0.		0.15	4				
Note) MHC2-6 is not compatible with axial mounting							

Model	Hole dia. mm	Hole depth mm
MHCA2-6	Ø7H8 <sup>+0.022</sup>	1.5


#### Vertical mounting (Body tapped)



Model	Bolt	Max. tightening torque N·m	Max. screw-in depth L mm				
MHCA2-6 M2 x 0.4		0.15 4					
Note) MHC2-6 and MHCM2-7S are not							


compatible with vertical mounting.

Lateral mounting (Body tapped, body through-hole) • Body tapped



Model	Bolt	Max. tightening torque N·m	Max. screw-in depth L mm			
MHC2-6	M3 x 0.5	0.88	10			
MHCA2-6	M3 x 0.5	0.88	10			
MHCM2-7S	M2 x 0.4	0.15	10			

#### Body through-hole



Model	Bolt	Max. tightening torque N·m						
MHC2-6	M2.5 x 0.45	0.49						
MHCA2-6	M2.5 x 0.45	0.49						

Note) MHCM2-7S is not compatible with body through-hole mounting.

#### **Operating Environment**

### **M** Warning

2. Do not scratch or dent the air gripper by dropping or bumping it when mounting.


Slight deformation can cause inaccuracy or a malfunction.

3. Tighten the screw within the specified torque range when mounting the attachment.

Tightening with a torque above the limit can cause malfunction, while insufficient tightening can cause slippage and dropping.

#### How to Mount Attachment to the Finger

Make sure to mount the attachments on fingers with the tightening torque in the table below by using bolts, etc., for the female threads on fingers.



Model	Bolt	Max. tightening torque N·m					
MHC□2-6	M2 x 0.4	0.15					
MHCM2-7S	M2 x 0.4	0.15					

### ▲Caution


#### Use caution for the anti-corrosiveness of finger guide section.

Except for some models, martensitic stainless steel is used for the finger. However, be aware that its anti-corrosion performance is inferior to austenitic stainless steel. In particular, the finger might be rusted in an environment where water droplets are adhered to it due to dew condensation.

### MHC2/MHCA2/MHCM2 Series Model Selection


#### Model Selection

#### Selection Procedure —





#### Step 1 Effective Gripping Force: MHC 2 Series External Gripping Force

 Expressing the effective gripping force The effective gripping force shown in the graphs to the right is expressed as F, which is the thrust of one finger when both fingers and attachments are in full contact with the workpiece as shown in the figure below.




#### **External Gripping**






### MHC2/MHCA2/MHCM2 Series

#### Step 2 Confirmation of Inertial Moment of Attachment -



Confirm the inertial moment of one of the two attachments. For example, in calculating the inertial moment of an attachment in the picture on the left, divide it into 2 rectangular parallelepipeds, A part and B part.



Procedure	Forr	nula	Example			
Calculate the operating conditions and attachment dimensions.	A part		Operating equipment: MHC2-6D <b>a</b> = 20 (mm) <b>b</b> = 3 (mm) <b>c</b> = 4 (mm) <b>d</b> = 4 (mm) <b>e</b> = 5 (mm) <b>f</b> = 6 (mm)			
2 Calculate the inertial moment of the attachment.	$Inertial moment around Iz_1 = {m_1 (a^2 + b^2) / 12}$ Inertial moment around IA = Iz_1 + m_1 r_1^2 x 10^4 $B part f_2^2 y 10^2$ Inertial moment around Iz_2 = {m_2 (d^2 x e^2) / 12} Inertial moment around IB = Iz_2 x m_2 r_2^2 x 10^4 Thus, the total inertial m	2 axis 2 axis ight calculation ight calculation d x e x f x Relative density Z2 axis 2 $x \frac{10^6}{10^6}$ Z axis	Assuming the attachment material is aluminium alloy (relative density=2.7), $\mathbf{r}_1 = 16.4$ (mm). $\mathbf{m}_1 = 20 \times 3 \times 4 \times 2.7 \times 10^{-6}$ $= 6.48 \times 10^{-4} (kg)$ $\mathbf{Iz}_1 = [6.48 \times 10^{-4} \times (20^2 + 3^2)/12] \times 10^{-6}$ $= 2.21 \times 10^{-8} (kg/m^2)$ $\mathbf{IA} = 2.21 \times 10^{-8} + 6.48 \times 10^{-4} \times 16.4^2 \times 10^{-6}$ $= 0.20 \times 10^{-6} (kg/m^2)$ $\mathbf{r}_2 = 23.5(mm)$ $\mathbf{m}_2 = 4 \times 5 + 6 \times 2.7 \times 10^{-6}$ $= 3.24 \times 10^{-4} (kg)$ $\mathbf{Iz}_2 = [3.24 \times 10^{-4} \times (4^2 + 5^2) / 12] \times 10^{-6}$ $= 1.11 \times 10^{-9} (kg/m^2)$ $\mathbf{IB} = 1.11 \times 10^{-9} (kg/m^2)$ $\mathbf{I} = 0.20 \times 10^{-6} + 0.18 \times 10^{-6}$ $= 0.38 \times 10^{-6} (kg/m^2)$			
Confirm from the table that the inertial moment of one attachment is within the allowable range.	MHC2-6D/MHCA2-6i Finger opening and closing speed Without speed controller With speed controller 3/4 to 1 and 1/2 reverse rotation from fully close state Attachment inertial moment >	Allowable inertial moment of attachment 0.5 x 10 <sup>-6</sup> Kg·m <sup>2</sup> 1.5 x 10 <sup>-6</sup> Kg·m <sup>2</sup>	Attachment inertial moment 0.38 x 10 <sup>-6</sup> (kg-m <sup>2</sup> < Allowable inertial moment without speed controller 0.5 x 10 <sup>-6</sup> (kg-m <sup>2</sup> ) Therefore, the attachment can be used withou speed controller.			

### Angular Type Air Gripper MHC2/MHCA2/MHCM2 Series

#### Symbol

Symbol	Definition	Unit
Z	Central axis of finger rotation	-
Z1	Axis which contains center of gravity of attachment A part and is parallel to Z	
Z2	Axis which contains center of gravity of attachment B part and is parallel to Z	_
Ι	Total inertial moment of attachment	kg⋅m <sup>2</sup>
IZ1	Inertial moment around Z1 axis of attachment A part	kg⋅m <sup>2</sup>
IZ2	Inertial moment around Z2 axis of attachment B part	kg⋅m <sup>2</sup>
IA	Inertial moment around Z axis of attachment A part	kg⋅m <sup>2</sup>
IB	Inertial moment around Z axis of attachment B part	kg⋅m²
<b>m</b> 1	Weight of attachment A part	kg
m2	Weight of attachment B part	kg
ľ1	Distance between axes Z and Z1	mm
<b>ľ</b> 2	Distance between axes Z and Z2	mm

#### Limiting Range of Attachment Inertial Moment -

#### MHC2-6D/MHCA2-6D

Finger opening and closing speed	Allowable inertial moment of attachment	Weight (Guide)
Without speed controller Note)	0.5 x 10 <sup>-6</sup> kg·m <sup>2</sup>	2 g or less
With speed controller 3/4 to 1 and 1/2 reverse rotation from fully close state	1.5 x 10 <sup>-6</sup> kg⋅m²	3.5 g or less

#### MHC2-6S/MHCA2-6S

Finger opening and closing speed	Allowable inertial moment of attachment	Weight (Guide)
Without speed controller Note)	0.5 x 10 <sup>-6</sup> kg·m <sup>2</sup>	2 g or less
With speed controller 3/4 to 2 reverse rotation from fully close state	1.5 x 10 <sup>-6</sup> kg⋅m²	3.5 g or less

#### MHCM2-7S

Finger opening and closing speed	Allowable inertial moment of attachment	Weight (Guide)
Without speed controller Note)	0.3 x 10 <sup>-6</sup> kg·m <sup>2</sup>	2 g or less
With speed controller 1/2 to 1 3/4 reverse rotation from fully close state	1.0 x 10 <sup>-6</sup> kg⋅m²	3.3 g or less

\* Applicable speed controller — Air gripper direct connection type AS1211F-M3


Use a meter-in type.

Note) In the case of MHCM2-7S, provide a run off space because the speed controller protrudes from the body top surface by 0.6 mm.

Note) Sometimes the workpiece may not be gripped precisely because of excessive speed in finger opening and closing. Therefore, use a meter-in type speed controller to adjust the finger opening and closing speed.

# Angular Type Air Gripper MHC2-6/MHCA2-6 Series

#### How to Order



#### Applicable Auto Switches/Refer to pages 929 to 983 for further information on auto switches.

		El contra de	۰. o	145.1	L	oad volta	age	Auto swit	tch model	Lead wir	e len	gth (	m)*	<b>D</b>																
Туре	Special function	Electrical entry	Indicator light	Wiring (Output)	D	DC		Perpendicular	In-line	0.5 (Nil)	1 (M)	3 (L)	5	Pre-wired connector	Applicable load															
				3-wire (NPN)	12 V 12 V	5 V,	M9NV	M9N	•	•	•	0	0	IC circuit																
	-			3-wire (PNP)		1 [	1 [		12 V		M9PV	M9P	•	٠	•	0	0	IC CITCUIL												
ے ہ				2-wire														12 V	12 V	12 V		M9BV	M9B	•	٠	•	0	0	—	
/itc	Disersois			3-wire (NPN)					5 V,	5 V,		M9NWV	M9NW	•	•	•	0	0	IC circuit	Relay,										
sp	Diagnosis (2-color indicator)	Grommet	Yes	3-wire (PNP)	3-wire (PNP)	3-wire (PNP)	24 V	12 V	-	M9PWV	M9PW	•	٠	٠	0	0	IC CITCUIL	PLC												
Solid state auto switch						2-wire		12 V		M9BWV	M9BW	•	٠	•	0	0	—													
50 6					3-wire (NPN)		5 V,		M9NAV**	M9NA**	0	0	•	0	0	IC circuit														
	Water resistant (2-color indicator)			3-wire (PNP)		12 V	12 V	M9PAV**	M9PA**	0	0	٠	0	0	IC CITCUIL															
	(2-0001 Indicator)			2-wire		12 V		M9BAV**	M9BA**	0	0	•	0	0	—															

\* Water resistant type auto switches can be mounted on the above models, but in such case SMC cannot guarantee water resistance. \* Lead wire length symbols: 0.5 m ····· Nil (Example) M9N \* Auto switches marked with "O" are made to order specification.

1 m ..... M (Example) M9NM

5 m ······ Z (Example) M9NL 5 m ······ Z (Example) M9NZ

Note) When using the 2-color indicator type, please make the setting so that the indicator is lit in red to ensure the detection at the proper position of the air gripper. 796

**SMC** 



MHCA2-6 Axial ported (With hose nipple)

#### Symbol





Single acting/ Normally open: External grip



Ulas	Made to Order Order Click here for details				
Symbol	Specifications/Description				
-X4	Heat resistance (100°C)				
-X5	Fluororubber seal				
-X53	-X53 EPDM seal/Fluorine grease				
-X56	Axial piping type				
-X63	-X63 Fluorine grease				
-X64	Finger: Side Tapped Mounting				
-X65	Finger: Through-hole mounting				
-X79	Grease for food processing machines, Fluorine grease				
-X79A	Grease for food processing machines				
-X81A	Anti-corrosive treatment of finger				

#### Moisture Control Tube IDK Series

When operating an actuator with a small diameter and a short stroke at a high frequency, the dew condensation (water droplet) may occur inside the piping depending on the conditions.

Simply connecting the moisture control tube to the actuator will prevent dew condensation from occurring. For details, refer to the Web Catalog.

#### Specifications

Fluid		Air	
Operating	Double acting	0.15 to 0.6 MPa	
pressure	Single acting: Normally open	0.3 to 0.6 MPa	
Ambient and fluid temperature		-10 to 60°C	
Repeatability		±0.02 mm	
Maximum operating frequency		180 c.p.m	
Lubricatio	on	Non-lube	
Action		Double acting, Single acting (Normally open)	
Auto switch (Option) Note)		Solid state auto switch (3-wire, 2-wire)	

Note) Refer to pages 929 to 983 for further information on auto switches.

#### Model

Action	Model	Cylinder bore (mm)	Gripping moment (Effective value) N·m	Opening/Closing angle (Both sides)	(2) Weight (g)
Double acting	MHC2-6D	6	6 0.038 30° to -10	20% to 10%	22
Double acting	MHCA2-6D	6		30 10-10	19
Single acting	MHC2-6S	6	0.024	30° to -10°	22
(Normally open)	MHCA2-6S	6	0.024	30 10-10	19

Note 1) At the pressure of 0.5 MPa

Note 2) Excluding the auto switch weight.

#### Option

#### Body Option/End Boss Type


Symbol Piping port location		Type of piping port	Applicable model	
Symbol	Piping port location	MHCA2-6	Double acting	Single acting
Nil	Basic type	M3 x 0.5	•	•
E	Side ported	M3 x 0.5	•	•
ĸ		With ø4 One-touch fitting	_	•
н	Axial ported	With ø4 hose nipple	_	•
М		M3 x 0.5	—	•




#### Construction


#### MHC2-6

Double acting/With fingers open



Double acting/With fingers closed Single acting





#### **Component Parts**

00.						
No.	Description	Material	Note			
1	Body	Aluminum alloy	Hard anodized			
2	Finger	Stainless steel	Heat treatment			
3	Piston	Stainless steel				
4	Lever shaft	Stainless steel	Nitriding			
5	Magnet holder	Stainless steel				
6	Сар	Aluminum alloy	Hard anodized			
7	Clip	Stainless steel				
8	Bumper	Urethane rubber				
9	Holder	Brass	Electroless nickel plated			
10	Holder lock	Stainless steel				


No.	Description	Material	Note
11	Needle roller	High carbon chromium bearing steel	Heat treated
12	Magnet	—	Nickel plated
13	N.O. spring	Piano wire	Zinc chromated
14	Exhaust plug	Brass	Electroless nickel plated
15	Exhaust filter A	Resin sponge	
16	Rod seal	NBR	
17	Piston seal	NBR	
18	Gasket	NBR	
19	Gasket	NBR	
20	Hexagon socket cap screw	Stainless steel	

#### **Replacement Parts**

Description	Kit no.	Main parts	Note		
Seal kit	Please contact SMC to replace seal kit				


#### MHCA2-6 (Short body type)

#### Double acting/With fingers open



#### Double acting/With fingers closed Single acting

# 



#### **Component Parts**

No.	Description	Material	Note
1	Body	Aluminum alloy	Hard anodized
2	Finger	Stainless steel	Heat treatment
3	Piston	Stainless steel	
4	Lever shaft	Stainless steel	Nitriding
5	Сар	Aluminum alloy	Hard anodized
6	Clip	Stainless steel	
7	Bumper	Urethane rubber	
8	Holder	Brass	Electroless nickel plated
9	Holder lock	Stainless steel	

#### **Replacement Parts**

Description	Kit no.	Main parts	Note	
Seal kit	Please contact SMC to replace seal kit			


No.	Description	Material	Note
10	Needle roller	High carbon chromium bearing steel	Heat treated
11	N.O. spring	Piano wire	Zinc chromated
12	Exhaust plug	Brass	Electroless nickel plated
13	Exhaust filter A	Resin sponge	
14	Rod seal	NBR	
15	Piston seal	NBR	
16	Gasket	NBR	
17	Gasket	NBR	
18	Hexagon socket cap screw	Stainless steel	

#### **⊘**SMC

### Angular Type Air Gripper MHC2-6/MHCA2-6 Series

#### Dimensions


#### MHC2-6



\* In the case of MHC2-6S, finger opening port is a breathing hole.

#### Dimensions

#### MHCA2-6 (Short body type)



\* In the case of MHCA2-6S, finger opening port is a breathing hole.




### MHCA2 Series Body Option: End Boss Type


#### **Applicable Model**

Symbol	Piping port location	Turne of sining seat	Applicab	Applicable model	
Symbol	Piping port location	Type of piping port	Double acting	Single acting	
E	Side ported	M3 x 0.5	•	•	
н		With ø4 hose nipple	_	•	
к	Axial ported	With ø4 One-touch fitting	-	•	
М		M3 x 0.5	_	•	

#### Side Ported [E]

#### MHCA2-6□E







\* The specifications and dimensions not given above are identical with those of the standard type.

#### Axial Ported (With hose nipple) [H]

#### MHCA2-6SH





\* The specifications and dimensions not given above are identical with those of the standard type.


#### Applicable Tubing

Description/Model	Nylon tubing	Soft nylon tubing	Polyurethane tubing	Polyurethane coil tubing
Specifications	T0425	TS0425	TU0425	TCU0425B-1
Outside diameter mm	4	4	4	4
Max. operating pressure MPa	1.0	0.8	0.5	0.5
Min. bending radius mm	13	12	10	—
Operating temperature °C	-20 to 60	-20 to 60	-20 to 60	-20 to 60
Material	Nylon 12	Nylon 12	Polyurethane	Polyurethane

Refer to the Web Catalog regarding One-touch fittings and tubing.

#### Axial Ported (With One-touch fitting) [K]

#### MHCA2-6SK



\* The specifications and dimensions not given above are identical with those of the standard type.


#### **Applicable Tubing**


Description/Model	Nylon tubing	Soft nylon tubing	Polyurethane tubing	Polyurethane coil tubing
Specifications	T0425	TS0425	TU0425	TCU0425B-1
Outside diameter mm	4	4	4	4
Max. operating pressure MPa	1.0	0.8	0.5	0.5
Min. bending radius mm	13	12	10	—
Operating temperature °C	-20 to 60	-20 to 60	-20 to 60	-20 to 60
Material	Nylon12	Nylon12	Polyurethane	Polyurethane

Refer to the Web Catalog regarding One-touch fittings and tubing.

#### Axial Ported (With M3 port) [M]

#### MHCA2-6SM





\* The specifications and dimensions not given above are identical with those of the standard type.

#### Weight

				Unit: g	
Model	End boss type (Symbol)				
	E	н	к	М	
MHCA2-6	23	23	23	23	



### MHC2-6/MHCA2-6 Series Auto Switch Installation Examples and Mounting Positions

Various auto switch applications are possible through different combinations of auto switch quantities and detecting positions. 1) Detection when Gripping Exterior of Workpiece


Detection example		le	1. Confirmation of fingers in reset position	2. Confirmation of workpiece held	3. Confirmation of workpiece released		
Position to be detected			Position of fingers fully opened	Position when gripping workpiece	Position of tingers tully to be a constrained of the second secon		
Operation of auto switch			Auto switch turned on when fingers return. (Light ON)	Auto switch turned on when gripping a workpiece. (Light ON)	When a workpiece is not held (Abnormal operation): Auto switch to turn ON (Light ON)		
Detection combinations	One auto sw * One position, any of and ③ can be deter	of (1), (2)	•	•	•		
Detection	Two auto switches	A B	•	•	_		
Det	1), 2 and 3 can	Patte B		•	•		
	be detected.	C					
	How to determine auto switch installation position		Step 1) Fully open the fingers.	Step 1) Position gripping a workpiece.	Step 1) Fully close the fingers.		
low con swit	nect the au ch to a pow	re, to er	Step 2) Insert the auto switch into the auto switch installation groove in the direction shown in the drawing.		₽		
the	ply, and follo directions.	w	Step 3) Slide the auto switch in the direction of the arrow until the light illuminates direction of the arrow until the indicator light illuminates. Step 3) Slide the auto switch in the direction of the arrow until the light illuminates and fasten it at a position 0.3 to 0.5 mm in the direction of the arrow beyond the position where the indicator light illuminates.				
			Position where light turns ON				
			Step 4) Slide the auto switch further in the direction of the arrow until the indicator light goes out.				
				<u>0.3 to 0</u>	<u>.5 mm   </u>		
			Step 5) Move the auto switch in the opposite direction and fasten it at a position 0.3 to 0.5 mm beyond the position where the indicator light illuminates.	Position to be secured	<		
			Position where light turns ON				
			Fitting position 0.3 to 0.5 mm				

Note 1) It is recommended to grip a workpiece when the fingers are in parallel with each other.


Note 2) When holding a workpiece close at the end of open/close stroke of fingers, detecting performance of the combinations listed in the above table may be limited, depending on the hysteresis of an auto switch, etc.



#### **Auto Switch Hysteresis**




#### **Auto Switch Mounting**



Note) Use a watchmaker's screwdriver with a grip diameter of 5 to 6 mm to tighten the auto switch mounting screw. Also, tighten with a torque of about 0.05 to 0.15 N·m, or about 0.05 to 0.10 N·m for D-M9⊡A(V).

#### Protrusion of Auto Switch from Edge of Body


- The amount of auto switch protrusion from the body end surface is shown in the table below.
- Use this as a standard when mounting, etc.



# Angular Type Air Gripper/Compact Type MHCM2-7S Series

Date units Res

How to Order



#### Symbol

Single acting/ Normally open: External grip



Fluid	Air
Operating pressure	0.4 to 0.6 MPa
Ambient and fluid temperature	-10 to 60°C
Repeatability	±0.02 mm
Maximum operating frequency	180 c.p.m.
Lubrication	Non-lube
Action	Single acting (Normally open)

#### Model

Specifications

Action	Model	Cylinder bore (mm)	Gripping moment <sup>Note)</sup> (Effective value) N·m		
Single acting (Normally open)	MHCM2-7S	7	0.017	20° to $-7^\circ$	9.5

Note) At the pressure of 0.5 MPa



Made to Order Click here for details

Symbol	Specifications/Description		
-X4	Heat resistance (100°C)		
-X5	Fluororubber seal		
-X56	Axial piping type		
-X63	Fluorine grease		
-X79	Grease for food processing machines, Fluorine grease		
-X79A	Grease for food processing machines		
-X81A	Anti-corrosive treatment of finger		

#### Moisture Control Tube IDK Series


When operating an actuator with a small diameter and a short stroke at a high frequency, the dew condensation (water droplet) may occur inside the piping depending on the conditions. Simply connecting the moisture control tube to the

Simply connecting the moisture control tube to the actuator will prevent dew condensation from occurring. For details, refer to the Web Catalog.


### MHCM2-7S Series

#### Construction/MHCM2-7S (Compact type)

#### Single acting/With fingers open



#### With fingers closed




#### **Component Parts**

	· ·			
No.	Description	Material	Note	Replacement parts order no.
1	Body	Aluminium alloy	Hard anodized	
2	Finger	Stainless steel	Heat treatment	
3	Piston	Stainless steel	Heat treatment	
4	Pusher	Stainless steel		
5	Spring	Piano wire	Zinc chromated	
6	Needle roller	High carbon chromium bearing steel		
7	Piston seal	NBR		MYN-4
8	Hexagon socket cap screw	Stainless steel		

#### Dimensions

#### MHCM2-7S



2 x M2 x 0.4 depth 4 (Mounting thread)



